

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	837	((manag\$5 with (device) with (mobile wireless) with server)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 10:53
S3	239	((manag\$5 adj server) with (device) with (mobile wireless)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:09
S4	51	Il and (manufactur\$3 with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 11:03
S5	20	S2 and (manufactur\$3 with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 11:45
S9	160	((manag\$5 with (device) with (mobile wireless) with server)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 11:21
S10	24	S2 and ((updat\$3 upgrad \$3 modify\$3) near3 (data content) with (wireless pda mobile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:04
S11	67	S2 and (firewall proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 11:51
S12	4469	((manag\$5 monitor\$3) with (mobile wireless) with server).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:38
S13	111	S12 and ((updat\$3 upgrad \$3 modify\$3) near3 (data content) with (wireless pda mobile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:05

S14	247	S12 and ((wireless pda mobile) with (different many separate multiple) with (region content data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:36
S15	48	S14 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:07
S16	7950	((wireless pda mobile) with ((different many separate multiple) near3 (region area content zone profile)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:23
S17	3168	((wireless pda mobile) with ((different many separate multiple) near (region area content zone profile)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:55
S18	12024	((manag\$5 monitor\$3) with (mobile wireless) with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:38
S19	241	S17 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 11:39
S20	46	S19 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:10
S21	177	S17 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:12
S22	63	S16 same ((personal corporat\$3 business) adj (data content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:54
S23	2619	((wireless pda mobile device) with ((different many separate multiple) near (segment)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:58

S24	0	((wireless pda mobile device) with ((different many separate multiple) near (segment) near2 logical))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:56
S25	19090	S23 adn (( personal business corporate ) near2 (segment region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:57
S26	12	S23 and (( personal business corporate ) near2 (segment region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:58
S27	5260	((wireless pda mobile device) with ((different many separate multiple) near2 (segment)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:58
S28	18	S27 and (( personal business corporate ) near2 (segment region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 12:59
S38	476	((logical near2 (segment part section division region)) with (wireless pda mobile device)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:06
S39	13	((logical near2 (segment part section division region)) with (wireless pda mobile )) .ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:07
S40	132	((logical near2 (segment part section division region)) with (wireless pda mobile ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:07
S42	1	corporate adj virtual adj user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:56
S50	98851	(segment\$3 divid\$3 separat\$3) with (region area zone) with (device cellular pda laptop wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:27

S51	18457	(segment\$3 divid\$3 separat\$3)near3 (region area zone) near4 (device cellular pda laptop wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:08
S52	7926	(segment\$3 divid\$3 separat\$3) with (region area zone) with (device cellular pda laptop wireless) with (data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:08
S53	119	(manag\$5 adj server) and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:29
S54	12112	(segment\$3 divid\$3 separat\$3) with (region area zone) with (device cellular pda laptop wireless) with (stor\$3 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:12
S55	157	(manag\$5 adj server) and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:12
S56	27	S55 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:12
S58	2	("20040068363").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 19:26
S59	106213	(multiple many plurality several)near3 (region area zone segment cache memory stor\$3) near4 (client device cellular pda laptop wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:28
S60	30908	(multiple many plurality several)adj (region area zone segment cache memory stor\$3) near4 (client device cellular pda laptop wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:36
S61	626	(manag\$5 adj server) and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:29

S62	80	(manag\$5 adj server) same S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:37
S63	4770	(multiple many plurality several)adj (region area zone segment) near4 (client device cellular pda laptop wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:36
S64	4	(manag\$5 adj server) same S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:37
S65	41	(manag\$5 adj server) and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 19:46
S66	2	("20020073304").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 19:46
S68	1869	(mobile cell cellular) with (user near2 group)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 08:32
S69	20	S68 same (corporat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 08:26
S70	1	("7171215").URPN.	USPAT	OR	ON	2008/01/03 08:23
S71	13	("20020003789"   "20020083197"   "20040136392"   "20040240392"   "20050261006"   "5608780"   "5845211"   "6621810"   "6625132"   "6910074"   "6970708"   "6985732"   "7095728"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 08:24

S72	3	S68 and ((management near2 server) same (group profile) same corporate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 08:28
S73	46	S68 and ((management near2 server) same (group profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 08:31
S74	10	S68 same ((management near2 server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 08:31
S75	3697	(mobile cell cellular) same (management near2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:43
S76	9	S75 and (corporate near2 group)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 08:35
S77	11	S75 and ((multiple many different various) near2 (user adj2 group))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 08:39
S78	3	S75 and ((multiple many different various) near2 (user adj2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 08:39
S79	361	S75 and ((management near2 server) with (delet \$3 chang\$3 eras\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:44
S80	174	S75 and ((management near2 server) near4 (delet \$3 chang\$3 eras\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:44

S81	28	S75 and ((management near2 server) near4 (delet \$3 chang\$3 eras\$3) near3 (data ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:47
S82	44	S75 and (((management near2 server) with (delet \$3 chang\$3 eras\$3) with (data )) same ((terminat \$3 fir\$3 leav\$3) enare2 (employee service employment)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:50
S83	0	S75 and (((management near2 server) with (delet \$3 chang\$3 eras\$3) with (data )) same ((terminat \$3 fir\$3 leav\$3) near2 (employee service employment)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:50
S84	16	S75 and (((management near2 server) with (delet \$3 chang\$3 eras\$3) with (data )) and ((terminat\$3 fir\$3 leav\$3) near2 (employee service employment)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:54
S85	47	S75 and (((management near2 server) with (delet \$3 chang\$3 eras\$3) with (data )) with (mobile cell cellular device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 09:54
S86	47	S75 and ((management near2 server) with (delet \$3 chang\$3 eras\$3) with (data ) with (mobile cell cellular device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:02
S87	4	S75 and ((management near2 server) with (disable ) with (mobile cell cellular device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:02
S88	10	S75 and ((management near2 server) with (disabl \$3 ) with (mobile cell cellular device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:03

S89	28	S75 and ((management near2 server) with (disconnect\$3 ) with (mobile cell cellular device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:03
S94	3260	((wireless pda mobile) with ((different many separate multiple) near (region area content zone profile)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:10
S95	12511	((manag\$5 monitor\$3) with (mobile wireless) with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:10
S96	251	S94 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:10
S97	1	S96 and "709"/201.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:10
S98	8	S96 and "709"/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:10
S99	0	S96 and 455/414.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:11
S100	81	S96 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:11
S101	3	S94 and "709"/201.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:11



S102	22	S94 and "709"/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:12
S103	12254	(segment\$3 divid\$3 separat\$3) with (region area zone) with (device cellular pda laptop wireless) with (stor\$3 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:12
S104	160	(manag\$5 adj server) and S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:12
S105	6	S104 and "709"/203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:12
S106	2	"20020124007".pn. and manag\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 10:58
S107	6	"2004002943"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 11:58
S108	2	"20040002943"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 11:58
S109	0	"20040002943".pn. and virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 13:44
S110	0	"20040002943".pn. and group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 13:44

S111	2	"20040002943".pn. and user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 13:45
S112	1	"20040215702".pn. and group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 13:50
S113	2	"20040002943".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:49
S114	2	"20040002943".pn. and security	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 15:07
S115	1	"20040002943".pn. and hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 15:09
S116	1	("6920476").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/03 11:01
S117	1	"20040215702".pn. and (security adj mechanism)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/03 13:46
S118	1	"20040215702".pn. and (security )	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/03 13:47
S119	13765	(segment\$3 divid\$3 separat\$3) with (region area zone) with (device cellular pda laptop wireless) with (stor\$3 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 12:46
S120	203	(manag\$5 adj server) and S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 12:46
S121	9	S120 and "709"/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 12:46

S122	2	S120 and "709"/201.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 12:46
S123	13765	(segment\$3 divid\$3 separat\$3) with (region area zone) with (device cellular pda laptop wireless) with (stor\$3 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 13:40
S124	203	(manag\$5 adj server) and S123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 13:40
S125	0	S124 and 455/414.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 13:40
S126	11	S124 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 13:40
S127	25	((JAMES) near2 (GUSTAFSON)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/16 13:41
S128	7	((GLENN) near2 (HAMASAKI)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/16 13:42
S129	3	"20020073304"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:00
S130	1	"20020073304".pn. and (authentikat\$3 secur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:01
S131	653	((remot\$4 near4 (access \$3 controll\$4 manag\$4 )) with (secur\$4 authentikat \$3) with (server host) with ( region object part section firmware application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:05

S132	175	S131 and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:05
S133	154	((remot\$4 near4 (access \$3 controll\$4 manag\$4 )) with (secur\$4 authenticat \$3) with (server host) with ( region object part section firmware))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:07
S134	150	((remot\$4 near4 (access \$3 controll\$4 manag\$4 )) with (secur\$4 authenticat \$3) with (server host) with ( region object part section))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:07
S135	78	((remot\$4 near4 (access \$3 controll\$4 manag\$4 )) with ( authenticat\$3) with (server host) with ( region object part section))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:13
S136	13	S135 and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:13
S137	2245	(section\$3 separat\$3 divid \$3 part\$3 region ) with (secur\$3 authenticat\$3) with (mobile cell\$4 terminal)with (server host)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:41
S138	3	S137 same (distribut\$3 near3 (firmware application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:42
S139	1169	(authenticat\$3 near3 (section region)) with (mobile terminal client server host)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:43
S140	0	S139 same (distribut\$3 near3 (firmware application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:43

S141	23	S139 and (distribut\$3 near3 (firmware application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:44
S142	7419635	(authentica\$3 near3 (object)) with (mobile terminal client server host) w	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 14:46
S143	35735	((wireless pda mobile device) with ((different many separate multiple) near (segment section part)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:37
S144	5	S143 same ((multiple near3 security))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:38
S145	0	S143 same ((plurality near3 security))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:39
S146	21	S143 same ((different near3 security))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:39
S147	47973	((wireless pda mobile device) with ((different many separate multiple) near (segment section part region)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:45
S148	389	S147 same ((authentica\$3 secur\$4 ) near4 (different separate many plurality different ) near4 (region part segment section part))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:46
S149	366	S147 same ((authentica\$3 secur\$4 ) near4 (different separate different ) near4 (region part segment section part))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:47

S150	6	S149 same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:47
S151	169679	((wireless pda mobile device) near4 (segment\$4 divid\$3 section\$4 part region)) with (data info information application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:49
S152	60420	((wireless pda mobile device) near4 (segment\$4 divid\$3 section\$4 part region)near2(data info information application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:51
S153	18	S152 same ((authenticat\$3 secur\$4 ) near4 (different separate different ) near4 (region part segment section part))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:52
S154	3149	((wireless pda mobile device) with ((separat\$3 divid\$3 segment\$3 section\$4) near2 (different many plurality) near2 (info data application object)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:58
S155	5	S154 same ((authenticat\$3 secur\$4 ) near4 (different separate different ) near4 (region part segment section part))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 06:59
S156	7914	I13and((authenticat\$3 secur\$4 ) near4 (different separate different ) near4 (region part segment section part))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 07:21
S157	13	S154 and((authenticat\$3 secur\$4 ) near4 (different separate different ) near4 (region part segment section part))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 07:21
S158	4306	((multiple plurality) near3 (user ) near2 ( wireless cell mobile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 07:35

S159	576	((multiple plurality) near3 (user ) near2 ( wireless cell mobile)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 07:35
S160	4107184	S150 \ and((authenticat\$3 secur\$4 ) near4 (different separate different ) near4 (region part segment section part))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 07:35
S161	6	S150 and((authenticat\$3 secur\$4 ) near4 (different separate different ) near4 (region part segment section part))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 07:35
S162	170	((multiple plurality)adj (user ) near2 ( wireless cell mobile)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 07:36
S163	2	S162 and((authenticat\$3 secur\$4 ) near4 (different separate different ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 07:37
S164	32	S162 and(authenticat\$3 secur\$4 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 07:38
S165	40	((multiple plurality)adj user ) with ( single near2 ( wireless cell mobile device))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 07:42
S166	3928	( wireless mobile) near4 (client near2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 11:12
S167	832	(( wireless mobile) near4 (client near2 server)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 11:12

S168	192	S167 and (authenticat\$3 security)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 11:12
S169	38	S168 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 11:13
S170	34	("6157941").URPN.	USPAT	OR	ON	2009/08/25 11:23
S171	78	S167 same (authenticat\$3 security)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 11:49
S172	832	(( wireless mobile) near4 (client near2 server)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 14:21
S173	94	S172 same (authenticat\$3 secur\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 14:21
S174	47	S172 same (secur\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/25 14:21
S175	0	wo0223925 and updat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 10:37
S176	3859028	wo 02/23925 and updat \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 10:37



S177	0	02/23925 and updat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 10:37
S178	0	02/23925 and security	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 10:38
S179	0	(service with hidden with services).ti. and updat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 10:39
S180	0	2002-404884 and updat \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 10:40
S181	564	((logical near2 (segment part section division region)) with (wireless pda mobile device)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 10:43
S182	28	S181 and ( updat\$3 near4 (code data content))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 10:52
S183	5220	((((wireless pda mobile device) near4 (segment\$4 divid\$3 section\$4 part region)) with (data info information application)) and ((server with (updat \$3) with (data content service info information)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 11:03
S184	499	((((wireless pda mobile device) near4 (segment\$4 divid\$3 section\$4 part region)) with (data info information application)) same ((server with (updat \$3) with (data content service info information)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 11:04

S185	98	S184 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 11:04
S186	0	"10748053"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 11:29
S187	1	"10/748053"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 11:29
S188	1	"10/748053" and (security same updat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 11:29
S189	128778	(segment\$3 divid\$3 separat\$3 split\$4) with (region area zone) with (device cellular pda laptop wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 11:31
S190	16	(US-20040103171-\$ or US-20040002943-\$ or US- 20030033358-\$ or US- 20030093545-\$ or US- 20040203593-\$ or US- 20020150091-\$ or US- 20040107315-\$).did. or (US-6157941-\$).did. or (US-20030027566-\$ or US-20020112047-\$ or US- 20030022657-\$ or US- 20020124007-\$ or US- 20030028649-\$ or US- 20040034624-\$ or US- 6970917-\$ or WO- 0223925-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/05/11 11:38
S191	8	S190 and updat\$3	US-PGPUB; USPAT; DERWENT	OR	ON	2010/05/11 11:40
S192	8	S190 and updat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 11:40

S193	8	S190 and (upload\$3 renew\$3 updat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 11:41
S194	8	S190 and (upload\$3 renew\$3 updat\$3 chang \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 11:41
S195	19	S184 and "709"/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 12:44
S196	583	((logical near2 (segment part section division region)) with (wireless pda mobile device)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 19:54
S197	10	S196 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 19:55
S198	5563	((wireless pda mobile) with ((different many separate multiple) near (region area content zone profile)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 19:56
S199	23408	((manag\$5 monitor\$3) with (mobile wireless) with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 19:56
S200	491	S198 and S199	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 19:56
S201	185	S200 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 19:56

S202	0	S201 and ((separat\$3 multiple many) near securit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 19:57
S203	0	S201 and ((separat\$3 multiple many) near secur \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 19:57
S204	1	S201 and ((separat\$3 multiple many different) near (authentict\$4 secur \$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 19:58
S205	131403	(segment\$3 divid\$3 separat\$3) with (region area zone) with (device cellular pda laptop wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 19:59
S206	31689	S205 and secur\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:00
S207	680	S206 and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:00
S208	622	S206 and ((personal corporat\$3 business) adj (data content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:01
S209	56	S208 and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:01
S210	158208	(multiple many plurality several)near3 (region area zone segment cache memory stor\$3) near4 (client device cellular pda laptop wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:08

S211	491	S210 and ((manag\$5 near2 server) with (delet \$3 chang\$3 eras\$3 updat \$3 manipul\$3 modify \$4) with (mobile cell cellular device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:10
S212	171	S211 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:10
S213	8	S211 and "709"/201.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:10
S214	15	S211 and "709"/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:10
S215	0	S211 and "709"/2228. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:11
S216	3	S211 and "709"/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/21 20:11

**EAST Search History (Interference)**

&lt; This search history is empty &gt;

**11/ 22/ 10 6:35:28 AM****C:\ Documents and Settings\ DBayard\ My Documents\ EAST\ Workspaces\ 10748053.wsp**